Specifications for Medical Appliances

Pharmacy Refrigerator (undercounter) - Qty - 1

Dimensions:

• Interior: 19.5 x 19.9 x 22.8 in (496 x 505 x 580 mm)

• Exterior: 24 x 31.5 x 26.7 in (610 x 798 x 678 mm)

• Volume: 5.3 cu ft (150 Liters)

Power: 220V-240V/50-60Hz - MANDATORY

Certifications:

 NSF/ANSI 465 Vaccine Storage Standard and includes Certificate of Calibration; Certificate of Calibration generated with an ISO 17025 reference thermometer - MANDATORY

Specifications:

• Temperature Range: +2°C to +10°C - MANDATORY

Temperature Set Point: +5°C - MANDATORY

• Light Option: LED

Handle Option: Low Profile Locking

• Door Option: Right Hinge, Glass

• Monitoring Option: Ballast, Solid, Factory Installed

• Special Option: Leveling Feet - Factory Installed

Storage: Drawers (2), Ventilated, Factory Installed

Pharmacy Freezer (undercounter) – Qty - 1

Dimensions:

• Interior: 19.5 x 19.9 x 22.8 in (496 x 505 x 580 mm)

• Exterior: 24 x 31.5 x 26.7 in (610 x 798 x 678 mm)

• Volume: 5.3 cu ft (150 Liters)

<u>Power:</u> 220V-240V/50-60Hz - MANDATORY

Certifications:

 NSF/ANSI 465 Vaccine Storage Standard and includes Certificate of Calibration; Certificate of Calibration generated with an ISO 17025 reference thermometer - MANDATORY

Specifications:

• Temperature Range: 15°C to -30°C - MANDATORY

• Temperature Set Point: -30°C – MANDATORY

• Handle Option: Low Profile Locking

• Door Option: Right Hinge, Solid

• Monitoring Option: Bottle with Glycol, Factory Installed

• Defrost: Auto defrost

Special Option: Leveling Feet - Factory Installed

Storage: Shelves (2), Ventilated, Factory Installed

Pharmacy Refrigerator (free standing) -Qty - 2

Dimensions:

• Interior: 24.7 x 58.1 x 24 in (628 x 1476 x 609 mm)

• Exterior: 29 x 79.6 x 28.2 in (737 x 2021 x 715 mm)

• Volume: 20.2 cu ft (572 Liters)

<u>Power:</u> 220V-240V/50-60Hz - MANDATORY

Certifications:

 NSF/ANSI 465 Vaccine Storage Standard and includes Certificate of Calibration; Certificate of Calibration generated with an ISO 17025 reference thermometer - MANDATORY

Specifications:

• Temperature Range: +2°C to +10°C - MANDATORY

• Temperature Set Point: +5°C - MANDATORY

• Light Option: LED

- Lock Option: Standard Key
- Handle Option: Standard
- Door Option: Right Hinge, Glass
- Monitoring Option: Ballast, Solid, Factory Installed
- Special Option: Access Port, Left Wall

Storage:

- Storage Option: Shelf (1), Ventilated, Factory Installed
- Storage Option: Drawers (6-7), Ventilated, Factory Installed

Storage Tray Full Size: Qty - 4

Purpose: Vaccine storage

Standard Tray/Divider (Quantity: 4)

o Includes 2 rails and 6 dividers

15 1/4" x 16" x 2 5/16" (388mm x 407mm x 59mm

Storage Tray Half Size: Qty - 18

- Small Tray/Divider (Quantity: 18)
 - o Includes 1 rail and 5 dividers
 - o 10" x 15 1/4" x 2 5/16" (254mm x 388mm x 59mm)